

Light Division, official UK partner of Modular Lighting Instruments

T +44 20 8068 6832 | E modular@supermodular.uk | W www.supermodular.com



OUTPUT*	779LM - 8.8W
CCT	2700K, 3000K, 1800 - 3000K (WARM DIM)

*OUTPUT FOR EXTRUDED STRIPPED SUSPENDED, GREY WHITE STRUC, 2700K



CRI	90+
IP RATING	IP20
BEAM ANGLE	30° - 50°

DISCOVER MORE



EXTRUDED STRIPPED SUSPENDED 46 300 -
ANODISED BLACK



EXTRUDED STRIPPED SUSPENDED 46 600 -
ANODISED BRONZE



EXTRUDED STRIPPED SUSPENDED 46 900 -
GREY WHITE STRUCTURE



EXTRUDED STRIPPED TRACK 48V SUSPENDED
PISTA TRACK 48V RECESSED TRIMLESS


EXTRUDED STRIPPED SUSPENDED





EXTRUDED STRIPPED SUSPENDED 46 600 -
ANODISED BRONZE



EXTRUDED STRIPPED SUSPENDED 46 600 -
ANODISED CHAMPAGNE

CONTACT

MODULAR LIGHTING INSTRUMENTS - HEADQUARTERS

Armoedestraat 71 – 8800 Roeselare – Belgium
+32 (0) 51 26 56 56 – welcome@supermodular.com
www.supermodular.com

PARTNER NETWORK - WHERE TO BUY

DISCOVER OUR NEWEST PRODUCTS

© Modular Lighting Instruments - all rights reserved

Modular Lighting Instruments reserves the right to alter material, dimensions and characteristics without prior notice. This catalogue replaces all previous catalogues. Read installation instructions carefully. Technical information on the installation instruction has precedence over the information in the catalogue and the legend. Our general terms and conditions shall apply notwithstanding any stipulation to the contrary to all the orders and agreements with Modular Lighting Instruments. You can obtain a copy of these conditions on demand.

For latest information and specifications of the full Modular Lighting Instruments range visit **www.supermodular.com**

MODULAR
LIGHTING INSTRUMENTS