

Light Division, official UK partner of Modular Lighting Instruments
T +44 20 8068 6832 | E modular@supermodular.uk | W www.supermodular.com

OUTPUT*	739LM - 7.2W
CCT	2700K, 3000K

*OUTPUT FOR MODEST RECESSED 74 1X, 2700K, WHITE STRUCTURE



CRI	90+
IP RATING	IP55



DISCOVER MORE



MODEST RECESSED 74 - CHALK BEIGE (RAL 075 80 10)



MODEST RECESSED 74 - WHITE STRUCTURE



MODEST RECESSED 74 - NORDLAND LIGHT BLUE (RAL 260 70 15)



MODEST RECESSED 74 - NORDLAND LIGHT BLUE (RAL 260 70 15)



MODEST RECESSED, EXTRUDED SUSPENDED





MODEST RECESSED 74 - SIENNA OCHRE (RAL 050 70 30)



MODEST RECESSED 74 - FOX FLOWER VIOLA (RAL 280 70 15)



MODEST RECESSED 74 - SIENNA OCHRE (RAL 050 70 30)



MODEST RECESSED,
MODUPOINT ROUND PANEL MOUNT RECESSED, MODUPOINT LED STICK, MEDARD JACK



MODEST RECESSED 74 - CHALK GREEN (RAL 120 85 05)





MODEST RECESSED, CHIVAL WALL



MODEST RECESSED 74 - GINKGO GREEN (RAL 140 70 05)

CONTACT

MODULAR LIGHTING INSTRUMENTS - HEADQUARTERS

Armoedestraat 71 – 8800 Roeselare – Belgium
+32 (0) 51 26 56 56 – welcome@supermodular.com
www.supermodular.com

PARTNER NETWORK - WHERE TO BUY

DISCOVER OUR NEWEST PRODUCTS

© Modular Lighting Instruments - all rights reserved

Modular Lighting Instruments reserves the right to alter material, dimensions and characteristics without prior notice. This catalogue replaces all previous catalogues. Read installation instructions carefully. Technical information on the installation instruction has precedence over the information in the catalogue and the legend. Our general terms and conditions shall apply notwithstanding any stipulation to the contrary to all the orders and agreements with Modular Lighting Instruments. You can obtain a copy of these conditions on demand.

For latest information and specifications of the full Modular Lighting Instruments range visit **www.supermodular.com**

MODULAR
LIGHTING INSTRUMENTS