

Light Division, official UK partner of Modular Lighting Instruments

T +44 20 8068 6832 | E modular@supermodular.uk | W www.supermodular.com

OUTPUT*	794LM/M - 10.8W/M
CCT	2700K, 3000K, 4000K

*OUTPUT FOR SLD20 SUSPENDED
1000LM/M, WHITE STRUC, 2700K



CRI	90+
IP RATING	IP20



DISCOVER MORE


SLD20 SUSPENDED



SLD20 SUSPENDED - ALU SILK BRUSHED



SLD20 SUSPENDED - KITT GRAU (RAL 060 70 10)





SLD20 SUSPENDED



SLD20 SUSPENDED - GRAU GRÜN (RAL 110 60 10)



SLD20 RECESSED TRIMLES





SLD20 RECESSED TRIMLESS



SLD20 RECESSED TRIMLESS

CONTACT

MODULAR LIGHTING INSTRUMENTS - HEADQUARTERS

Armoedestraat 71 – 8800 Roeselare – Belgium
+32 (0) 51 26 56 56 – welcome@supermodular.com
www.supermodular.com

PARTNER NETWORK - WHERE TO BUY

DISCOVER OUR NEWEST PRODUCTS

© Modular Lighting Instruments - all rights reserved

Modular Lighting Instruments reserves the right to alter material, dimensions and characteristics without prior notice. This catalogue replaces all previous catalogues. Read installation instructions carefully. Technical information on the installation instruction has precedence over the information in the catalogue and the legend. Our general terms and conditions shall apply notwithstanding any stipulation to the contrary to all the orders and agreements with Modular Lighting Instruments. You can obtain a copy of these conditions on demand.

For latest information and specifications of the full Modular Lighting Instruments range visit **www.supermodular.com**

MODULAR
LIGHTING INSTRUMENTS