SPHERE OF LIGHT,
MOOD OR BRIGHT



GAMIN

MODULAR
LIGHTING INSTRUMENTS

Light Division, official UK partner of Modular Lighting Instruments
T +44 20 8068 6832 | E modular@supermodular.uk | W www.supermodular.com

OUTPUT*	UP TO 676LM - 7.2W
CCT	2700K, 3000K, 1800 - 3000K (WARM DIM)



IP RATING	IP20
CRI	90+



DISCOVER MORE



GAMIN JACK 90 - BLACK STRUCTURE
MODUPOINT ROUND SURFACE 45 - BLACK STRUCTURE



GAMIN TRACK 48V 90 - BLACK STRUCTURE
PISTA TRACK 48V SURFACE - BLACK STRUCTURE



GAMIN JACK,
MODUPOINT ROUND RECESSED, MODUPOINT LED STICK



GAMIN ALABASTER JACK, MODUPOINT ROUND



GAMIN ALABASTER TRACK 48V 90,
PISTA TRACK 48V SURFACE - BRONZE BRUSHED ANODISED



GAMIN ALABASTER JACK 90





GAMIN JACK 90 - BLACK STRUCTURE
MODUPOINT LED STICK CURVED - BLACK STRUCTURE
MODUPOINT FIXATION RING - BLACK STRUCTURE
MODUPOINT ROUND PANEL MOUNT RECESSED 17



GAMIN JACK 90 - BLACK STRUCTURE
MODUPOINT LED STICK CURVED - BLACK STRUCTURE
MODUPOINT LED STICK (20/30CM) - BLACK STRUCTURE
MODUPOINT ROUND PANEL MOUNT RECESSED 17

CONTACT

MODULAR LIGHTING INSTRUMENTS - HEADQUARTERS

Armoedestraat 71 – 8800 Roeselare – Belgium
+32 (0) 51 26 56 56 – welcome@supermodular.com
www.supermodular.com

PARTNER NETWORK - WHERE TO BUY

DISCOVER OUR NEWEST PRODUCTS

© Modular Lighting Instruments - all rights reserved

Modular Lighting Instruments reserves the right to alter material, dimensions and characteristics without prior notice. This catalogue replaces all previous catalogues. Read installation instructions carefully. Technical information on the installation instruction has precedence over the information in the catalogue and the legend. Our general terms and conditions shall apply notwithstanding any stipulation to the contrary to all the orders and agreements with Modular Lighting Instruments. You can obtain a copy of these conditions on demand.

For latest information and specifications of the full Modular Lighting Instruments range visit **www.supermodular.com**

MODULAR
LIGHTING INSTRUMENTS